



Camie-Campbell, Inc.
Aerosol and Bulk Industrial Specialty Chemicals

ADHESIVES

300

GENERAL PURPOSE SPRAY ADHESIVE

Camie 300 offers quick adhesion to metal, plastic, wood, paper, cardboard, fabric, leather, etc. It is essentially colorless and produces instant tack with high strength to form a temporary or permanent bond, whichever is desired. Camie 300 is used extensively in the garment, furniture and upholstery industries as well as for shipping room applications such as sealing and palletizing of bags. Packaged twelve 24 fluid ounce cans per case. Bulk equivalent 300B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol

303

FOAM & FABRIC ADHESIVE

Camie 303 is designed to work well on urethane foam, fabric, metal, supported vinyl, wood, paper and leather. It is orange in color and offers a unique lace spray pattern for low soak in on polyurethane foam. It has a soft pliable bond and a better build of glue at the bond line. Camie 303 is extremely economical compared to other brands currently available. Packaged twelve 24 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol

313

FAST TACK UPHOLSTERY ADHESIVE

Camie 313 Fast Tack Upholstery minimizes "soak-in", develops tack (bond strength) in the shortest possible time, has a soft, flexible bond line, and is priced more competitively than Camie 303 adhesive. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent 313B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

333N

SPRAY ADHESIVE

Camie 333N fine mist spray is excellent for bonding foam or cloth to foam, wood, metal or rigid plastic, and produces a temporary or permanent bond with quick tack and high strength. Use for laminating, boxing, knife edging, pattern cutting, and many other applications. Packaged twelve 24 fluid ounce cans per case. Bulk equivalent 333NB.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol



CAMIE CAMPBELL

343

CONSTRUCTION ADHESIVE

Works well on almost all substrates common to the construction industry. Use it on polyurethane insulation blocks, polyethylene film (a moisture barrier) bead board, fiberglass insulation, carpeting, carpet pads and to attach sanding discs. Tinted blue to easily see when applying product. Packaged twelve 24 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol

363

HIGH STRENGTH FAST TACK SPRAY ADHESIVE

Camie 363 was developed specifically to offer the user a fast tacking, high strength adhesive for a wide variety of substrates. The transparent, low soak in product exhibits particular strength when bonding polyethylene film to dry wall, brick, concrete block for partitioning and isolating construction areas. Also bonds well to wood, foam, fabric, paper, plastic, etc., and is pressure-sensitive, which means that it can be repositionable. Camie 363 has a lace spray pattern, is transparent and will not degrade polystyrene. Packaged twelve 24 fluid ounce cans per case. Bulk equivalent 363B. This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol



*We are on the
World Wide Web at
www.ellsworth.com*

365

HI-BOND HIGH STRENGTH SPRAY ADHESIVE

Camie 365 is a high-temperature, high-strength, contact type adhesive. It is white and has a lace or web-type controlled spray pattern for low soak in so that more adhesive remains at the surface where it is needed. Offered with a 3-way adjustable valve and tip for low, medium and high delivery rates, this product works well for decorative plastic laminate work, metal, wood, particle board and some plastics such as polypropylene and polyethylene films. This product has a long work time of 1 to 5 minutes and features an unusually high initial, or green, strength. Camie 365 meets MMM-130A edge lift requirements for plastic laminate work. Packaged twelve 24 fluid ounce cans per case. This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol

373

HIGH PERFORMANCE ADHESIVE

This highly effective, all-purpose, pressure sensitive adhesive has been developed for a variety of applications and can be used in almost every plant. Camie 373 is a mist type spray adhesive, is colorless, and is particularly recommended for labeling, palletizing, screen printing and many other general purpose uses. Its performance is comparable to other adhesives at a much lower price. It stays pressure sensitive and has a long life. Camie 373 is packaged twelve 24 fluid ounce cans per case. Bulk equivalent Camie 373B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol

380

SCREEN PRINTERS ADHESIVE

Camie 380 was specifically designed for the textile screen printer to offer a true pressure sensitive adhesive that does not stain, yet offers a quick tack and low soak in. Camie 380 will not wrinkle fine materials and can be used where transfer of adhesive is a problem. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent 380B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

390B

CONTACT CEMENT AND TRIM ADHESIVE

Bulk packaged, Camie 390B is a high strength adhesive available in both red or clear and can be applied where high temperature or high strength bonding is required. Particularly designed to bond decorative laminates to particle board and plywood for cabinet work.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

5 gal, 55 gal drum

393

TRIM AND LAMINATING ADHESIVE

Camie 393 is formulated to bond substrates that require either high bond strength and/or need elevated temperature resistance. Camie 393 also exhibits excellent green strength and water resistance. Packaged twelve 24 oz. cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol



Camie-Campbell, Inc.
Aerosol and Bulk Industrial Specialty Chemicals

LUBRICANTS

100

HEAVY DUTY SILICONE LUBRICANT

Camie 100 is a multi-purpose 6%, high viscosity silicone spray for general maintenance applications that can smooth the flow of production by reducing friction and binding. It can be used in molding, cutting, sawing, and slicing operations, also on chutes, conveyors, tools, guide rails, hoppers, tables and other places where friction or sticking decreases output. It is an excellent product to prevent the build up of ink or adhesives, to prevent static electricity or the formation of rust. It is odorless and stainless in most applications. Packaged twelve 24 fluid ounce cans per case. Bulk equivalent 50B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

24 fl. oz. aerosol

Still need help?

Give Ellsworth Adhesives a call @

1-800-888-0698


410

FOOD PROCESSORS SILICONE SPRAY

Camie 410 Silicone Lubricant contains 5% silicone, dry-type spray. It is excellent for keeping surfaces slick and stick-free. A thin film protects any surface, including metal, glass, or rubber. 410 is odorless, tasteless, heat stable and is recommended for food processors of any sort: Dairies, bottlers, bakers, candy and sugar manufacturers or other related industries. It can be used on heat sealers, kettles, trays, cutters, saws, mixers, blenders, guide rails and all stainless steel equipment. The active ingredient complies with FDA regulations. Packaged twelve 20 fluid ounce cans per case. Ready to use bulk equivalent 999B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol



CAMIE CAMPBELL

610

ECONOMY SILICONE LUBRICANT & RELEASE AGENT

Formulated to be our most economical silicone spray, 610 reduces friction and prolongs life of cutting blades, heat sealing equipment, rollers, conveyors, and chutes. Camie 610 is highly recommended for use with stainless steel, chrome, brass, aluminum, glass, rubber, fabric and most plastics. It provides release and prevents sticking in gluing, sealing, and molding operations. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent Camie 50B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

666

HEAVY DUTY SILICONE GREASE & RELEASE AGENT

Camie 666 is a silicone that produces a heavy, grease-like coating that clings to surfaces, reduces friction, prevents sticking, repels water, and is unaffected by temperatures from -40° to 500°F. It provides long lasting lubrication and prevents corrosion in harsh environments. 666 is an excellent product to be used in cold or frozen storage areas on rails, doors, bins, latches, equipment, on vertical and overhead surfaces. Excellent for paper bag and box manufacturers, paper cup and can manufacturers and for the printing, graphic arts, and furniture industries. The active ingredients in 666 comply with FDA and USDA regulations when used in food processing areas. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent 666B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

880B

DIELECTRIC GREASE

Bulk packaged, Camie 880B is a thick, all purpose silicone grease, excellent for use as a corrosion preventer, release agent, and rubber lubricant. 880B contains no solvent carriers.

This product does not contain chlorofluorocarbons or ozone depleting chemicals

gal, 5 gal

888

SILICONE RELEASE AGENT & LUBRICANT

Camie 888, our most popular silicone spray, is used in the upholstery, foam and furniture industry. This product has a 3% silicone content with a dry type spray pattern that works very well to lubricate band saws and slitters in the foam industry, used to spray on sewing tables, thread guides and needles in the garment industry. 888 is also used for applying slip covers to cushions. Camie 888 is priced economically and once applied is odorless and nonstaining. Packaged twelve 20 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

999

DRY SILICONE

Camie 999 is a 4% dry, all purpose lubricant that can be used to eliminate squeaking and stop sticking in almost any application. It is especially recommended for plastic and painted surfaces. It is economical to use and has active ingredients that comply with FDA regulations. Packaged twelve 20 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

A1000

DRY LUBRICANT RELEASE AGENT

Camie A1000 is a PTFE dispersion of a white, waxy, low molecular weight polymer. A1000 leaves a fine, dry film to produce a slick, friction-free surface between like and unlike substrates. It is especially recommended when a wet film lubricant might attract dust and dirt. A1000 will not dissolve in solvent or melt below 450°F. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent 1000B Type II.

This product does not contain ozone depleting chemicals.

20 fl. oz. aerosol

2000

TFE-COAT

Camie 2000 TFE-Coat forms a bonded, Teflon® coating that reduces friction on most substrates and prevents a buildup of product on chutes, hoppers, guide rails, etc. Camie 2000 is a dry lubricant and has applications where silicones or other wet lubricants cannot be used. It can be sprayed on, and after air curing, forms a true, dry to the touch, Teflon® coated surface. 2000 can be used in many industries on forming boards, shuttles, work tables or any place a slick surface is desired. Packaged twelve 20 fluid ounce cans per case.

This product does not contain any ozone depleting chemicals.

®DuPont Trademark

20 fl. oz. aerosol

Material Safety Data Sheets (MSDS) and Tech Data Sheets always available.
Call Ellsworth Adhesives at 1-800-888-0698



CAMIE CAMPBELL



Camie-Campbell, Inc.
Aerosol and Bulk Industrial Specialty Chemicals

610

ECONOMY SILICONE LUBRICANT & RELEASE AGENT

Our most economical silicone lubricant, Camie 610 reduces friction and prolongs life of cutting blades, heat sealing equipment, rollers, conveyors, and chutes. Camie 610 is highly recommended for use with stainless steel, chrome, brass, aluminum, glass, rubber, fabric and most plastics. It prevents sticking in gluing, sealing and molding operations. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent Camie 50B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

980

URETHANE RELEASE AGENT

Camie 980 is a silicone release agent that is useful for rigid polyurethanes, epoxies, polyesters, TPR and other thermosetting resins. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent Camie 980B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

A1000

DRY LUBRICANT RELEASE AGENT

Camie A1000 is a PTFE dispersion of a white, waxy, low molecular weight polymer. It is useful for high temperature compression molding. A1000 works well on epoxies, nylons, polypropylenes, phenolics and TPR. Parts may be post finished, as A1000 does not transfer to the part. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent 1000B Type II.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

1080

PAINTABLE MOLD RELEASE

Camie 1080 is our most popular all purpose paintable release agent. Economical to use, 1080 eliminates costly cleanups and is universally accepted by injection, extrusion and compression molders, permitting high speed production. 1080 does not build up, and does not interfere with painting, hot stamping, vacuum metalizing or gluing. It can be used on most substrates, including rubber, acrylics, polyesters, polystyrenes, and cellulose. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent 1080B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

RELEASE AGENTS



CAMIE CAMPBELL

1180

HEAVY DUTY PAINTABLE MOLD RELEASE

Camie 1180 offers clean, continuous release of parts to be post decorated without cleaning. Even the most complex configurations are readily released with this product. Camie 1180 is used as a release agent in the furniture, automotive and appliance industries. It is heat stable and used in high volume production. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent 1080B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

1380

NON-SILICONE PAINTABLE MOLD RELEASE

Camie 1380 is recommended as an all purpose release agent that can be used on all of the same plastic resins as Camie 1080. It allows for post decoration, painting and gluing and has as its active ingredient, lecithin, which complies with FDA regulations. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent Camie 1380B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

1680

ECONOMY SILICONE RELEASE AGENT

Our most economical silicone mold release agent. It is compatible with most all plastic resins and offers excellent release characteristics for most all molding processes. Packaged twelve 16 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

16 fl. oz. aerosol

1780

ECONOMY PAINTABLE RELEASE AGENT

A companion product to 1680 for use where post decorating of the molded part is necessary. 1780 is recommended for hot stamping, painting, vacuum metalizing, and glueing. Packaged twelve 16 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

16 fl. oz. aerosol

1880

ECONOMY LECITHIN RELEASE AGENT

Designed to use on difficult to release resins, it is paintable and can be used in conjunction with food contact parts. Camie 1880 is packaged twelve 16 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

16 fl. oz. aerosol

3015

MOLD SAVER

Camie 3015 protects against rust and corrosion on all metal surfaces exposed to weather and moisture and leaves a barrier that lasts up to six months for indoor storage of bare metal parts. This industrial strength mold saver fights oxidation and neutralizes corrosive deposits, displaces moisture and lubricates. Camie 3015 is a transparent, oily film that is used in the molding industry to protect molds during shut-down time. It does not require a separate cleaning step. In most cases, molds can be put into production direct from storage. Once burned off, bleedout from ejector pins is minimized. Packaged twelve 20 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

*We are on the
World Wide Web at
www.ellsworth.com*

*Complete (and we mean
complete) tech support!
Call Ellsworth Adhesives at
1-800-888-0698*



CAMIE CAMPBELL



Camie-Campbell, Inc.
Aerosol and Bulk Industrial Specialty Chemicals

160

COVERALL TAN BLOCKOUT ENAMEL

Camie 160 is an excellent box cover-up that is fast drying, water-proof, and will not rub off, once dry. It prevents bleed through of old labels and stenciling. Came 160 can be used on cardboard, wood, paper, metal, etc. and matches most corrugated containers. Packaged twelve 16 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

16 fl. oz. aerosol

20/20

GLASS CLEANER

Camie 20/20 Glass Cleaner has a fast foaming action and dries without streaking or hazing.

It is highly concentrated and is effective for all light-duty cleaning applications on surfaces not affected by water, including glass, metal, plastic, paint, etc. 20/20 has been tested on polycarbonate and acrylic plastics for compatibility. Packaged twelve 20 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

22/40

TOOLS & PARTS CLEANER

A strong, effective cleaner for tools and metal parts where a heavy buildup of grease, oil, dirt, grime, paint, adhesive and other unwanted substances need to be removed. Spray on surface to break down, wash away and clean equipment, work areas, engines, metal parts and other substrates. Packaged twelve 20 fluid ounce cans per case.


This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

Ellsworth Adhesives "Your One- Stop Shop"

- Adhesive & chemical products from all the top manufacturers
 - Dispensing equipment-manual to fully automatic
 - Complete tech support (inside and out)
 - An outside sales staff that is very willing to serve (most are degreed engineers)
 - Custom packaging to your specification
- We are easy to reach:
in person-check the location nearest you on the phone - [1-800-888-0698](tel:1-800-888-0698)
over the internet [@www.ellsworth.com](http://www.ellsworth.com)

CHEMICAL SPECIALTIES



CAMIE CAMPBELL

22/50

SOLVENT CLEANER AND DEGREASER

Camie 22/50 is a nonflammable cleaner/degreaser that has a jet spray valve. Camie 22/50 can be used to safely remove dirt from electrical components while they are in service and is recommended for cold degreasing of all metals and certain plastics. Camie 22/50 removes grease, dirt, oil, ink, fresh paint and adhesives from virtually any surface, including upholstery. Camie 22/50 removes most residues from chutes, conveyors, cutting tools, saw blades, and is good for general cleanup work wherever it may be required. Testing is recommended before use. Packaged twelve 13.5 fluid ounce cans per case. Bulk equivalent Camie 22/50B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals

13.5 fl. oz. aerosol.

22/80

NATURAL CITRUS CLEANER

Created out of concern for the environment, this natural citrus cleaner is unusually effective for removal of adhesives, grease, oil stains, road tar, rubber marks, residue from decals, heel marks, graffiti, lipstick, release agents, and even soap film. Use where chlorinated solvents are not recommended. Camie 22/80 can be used safely on most substrates, including painted surfaces, glass, porcelain, concrete, and is compatible with some plastics. It is safer to use than many other products, and can be water removed. 22/80 comes packaged twelve 20 fluid ounce cans per case. Also available in bulk as 22/80B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

22/90

HEAVY DUTY CLEANER & DEGREASER

22/90 has been developed and is recommended for heavy duty cleaning and degreasing of work areas and any parts and equipment where strong action is needed to accomplish the task. This product is useful on machinery, floors, work areas and for degreasing general metal parts. It is not recommended for use on energized electrical components or contacts. Packaged twelve 20 fluid ounce cans per case. Bulk equivalent 22/90B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol

3000

4 IN 1 RUST PENETRANT

This all purpose rust penetrant also acts as a moisture displacer, rust protector, lubricant and cleaner. Camie 3000 protects bare metal against rust and corrosion for up to six months of indoor storage. This all purpose product is an invaluable part of any plant operation and tool kit. Prove it to yourself. Independent tests have shown Camie performs better than most popular brands in speed and depth of penetration, and lubrication, while displacing moisture and loosening frozen treads. The applications are endless, including automotive, industrial, home, farm, marine, aviation, motorcycles, and highway equipment. Packaged twelve 16 fluid ounce cans per case. Bulk equivalent 3000B.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

16 fl. oz. aerosol

7272

ANTI-STATIC SPRAY

Camie 7272 helps reduce static electricity generated by friction and low humidity conditions. It is chemically inert and colorless. It provides for uniform, easy application. It is used in the textile, plastics, rubber and electronics industries, also by processors, convertors, general manufacturing and photographers. Packaged twelve 20 fluid ounce cans per case.

This product does not contain chlorofluorocarbons or ozone depleting chemicals.

20 fl. oz. aerosol



*Have an application problem?
Call Ellsworth Adhesives at
1-800-888-0698*

